

DEVAL L. PATRICK GOVERNOR

TIMOTHY P. MURRAY LIEUTENANT GOVERNOR

JUDYANN BIGBY, MD SECRETARY

JOHN AUERBACH COMMISSIONER

The Commonwealth of Massachusetts

Executive Office of Health and Human Services
Department of Public Health
William A. Hinton State Laboratory Institute
305 South Street, Jamaica Plain, MA 02130

10/7/11

Michael Thaler Assistant District Attorney, Norfolk County

Dear ADA Thaler

Enclosed is the information you requested in regards to Commonwealth vs. Included are copies of the following:

Curriculum Vitae for Annie Dookhan and Daniel Renczkowski.

- 2. Drug Analysis Laboratory Receipt.
- 3. Control Cards with analytical results for samples #



5. GC/Mass Spectral analytical data for samples #

Annie Dookhan was the custodial chemist and performed the preliminary testing and net weight for this sample. Daniel Renczkowski was the confirmatory chemist and analyzed the GC/MS data for this sample.

If you have any questions about these materials, please call me at the number below.

Sincerely

Annie Dookhan

Chemist II

Drug Analysis Lab

Jamaica Plain, MA. 02130

(617) 983-6622

Curriculum Vitae

Annie Khan (Dookhan)

Education:

University of Massachusetts, Boston, Ma, Master of Science in Chemistry. University of Massachusetts, Boston, Ma, Bachelor of Science in Biochemistry.

Experience:

2003 - present

Chemist I, II, Massachusetts Department of Public Health, Drug Analysis Laboratory

- *Completed six-week training course conducted by senior staff within the Department of Public Health, Drug Analysis Laboratory.
- *Appointed Assistant Analyst by Assistant Commissioner of Public Health, 2004.
- *Responsible for the identification of illicit drugs to determine violations of harmful and narcotic drug laws.
- *Trained in the use of complex analytical instrumentation, microscopes and balances for the purpose of drug analysis.
- *Maintenance and repairs of all analytical instruments.
- *Responsible for the Quality Control of all analytical instruments, reagents and controls/standards.
- *Oversee the Quality Control/Quality Assurance program for the Drug Lab.
- *Writing, revising and reviewing Standard Operating Procedures (SOPs) and Protocols.
- *Notary Public.
- *Qualified as an expert witness in Massachusetts Courts and U.S. District Court

2001 - 2003

QC Analyst I, II, UMMS-Massachusetts Biologic Laboratory, QC Material Control

- *Completed proficiency training conducted by a member of the staff within the MLB Quality Control and Quality Assurance Department.
- *Method Development for creating new techniques and enhancing vaccines for the QC Dept. and FDA.
- *Writing, revising and reviewing Standard Operating Procedures (SOPs).
- *Trained and supervised new chemists and interns for the department.
- *Routine QC testing of products for the FDA.
- *Trained in the use of complex analytical instrumentation, and balances for the purpose of QC analysis for product and validation projects.
- *Calibration, preventive maintenance, QC and QA of analytical instrumentation.
- *Complete testing of chemicals for Vendor Validation Project for the FDA.
- *Compendial testing and interpretation of the USP, ACS, FCC, AOAC, Merck Index, PDR, etc.

Additional Training:

Dept. of Justice – Forensics Professionals. (numerous trainings)

GLP/GMP training with Massachusetts Biologic Laboratory.

QC/QA training according to FDA Codes and Regulations.

GC and GC/MS trainings with Agilent Technologies and Restek.

HPLC and LC/MS/MS trainings with Waters Cooperation.

FTIR training with Spectros.

TOC training with MBL and Sievers.

Association:

American Chemical Society (ACS)

Northeastern Association of Forensics Science (NEAFS)

Curriculum Vitae

Daniel Renczkowski

Education

Degree:

Bachelors of Science in Forensic Chemistry,

May 2005 from Buffalo State College

GPA: 3.84, Dean's List, Honor's Recognition American Chemical Society Undergraduate Award

Phi Lambda Upsilon Membership

Related Coursework: Analytical Chemistry

Organic Chemistry I and II

Biochemistry

Chemistry of Criminalistics

Anatomy

Physical Chemistry

Instrumental Chemistry Forensics Laboratory

Physical Evidence

Physiology

Employment

Massachusetts Department of Public Health Drug Analysis Laboratory Chemist I (October 2005 – March 2008)

Chemist II (March 2008 - present)

- -Successfully completed an eight week training course in the analysis of drugs conducted by senior staff
- -Successfully completed GC/MS training program
- -Responsible for the identification of substances to determine violation of the Controlled Substances Act of the Massachusetts General Laws
- -Responsible for maintenance and repairs of analytical instruments
- -Responsible for quality control of analytical instruments and standards

Related Experience

Niagara County Forensics Laboratory Forensic Internship, January 2005

- -Conducted research on the presumptive testing of saliva
- -Conducted research on the identification and detection of lubricants
- -Observed all aspects of the laboratory including drug analysis, firearms comparison, trace evidence, arson investigation, toxicology, and serology
- -Daily use of FTIR microscope and DuraSamplerII
- -Familiarized with GC/MS programs

PLEASE PRINT CLEARLY OR TYPE ALL INFORMATION

The Commonwealth of Massachusetts
Executive Office of Health and Human Services
Department of Public Health State Laboratory Institute

Boston Drug Laboratory Tel (617) 983-6622 Fax (617) 983-6625

Amherst Drug Laboratory Tel (413) 545-2601 Fax (413) 545-2608

Boston Hours

DRIIC RECEIPT

Amherst Hours

8:00 - 11:00 2:00 - 4:00	DRUG R	RECEIPT	9:00 - 12:00 1:00 - 3:00
City or Department:) crinci)	Police Reference No.	
Name and Rank of Submittin	ag Officer: DET	WAXD	
Defendant(s) Name (last, firs	t, initial):		
To be completed by Submitter Description of Items Submitt	ed	To be completed Gross Weight	by Lab Personnel Lab Number
One white	Pill	3,90 m	
		8	
Received by:		Date:	10-7-10

No.

•

Date Analyzed:

1-20-11

City: Quincy Ponce Dept.

Officer: Detective WILLIAM WARD

Def:

Amount:

1.0

Cont: pb

Date Rec'd: 10/07/2010

Gross Wt.:

No. Cont:

3.90

Subst: TAB

No. Analyzed: Net Weight:

et weight:

#Tests: 1850

Prelim: Clongrapor

Findings: Clonazepam

DRUG POWDER ANALYSIS FORM

No. of samples tested:	AGENCY Quency	ANALYST	089
PHYSICAL DESCRIPTION:		Gross Wt ():	
I white nonce	talut	Gross Wt ():	-
oner sings 1	100	Pkg. Wt:	
_		Net Wt:	0.1670
834			

PRELIMINARY TESTS Spot Tests	Microcrystalline Tests
Cobalt Thiocyanate ()	Gold Chloride
Marquis	TLTA ()
Froehde's	OTHER TESTS
Mecke's	Muonose AD
PRELIMINARY TEST RESULTS	GC/MS CONFIRMATORY TEST
RESULTS CLONGLERM	RESULTS Clongie gom
DATE 1-1CL-11	MS OPERATOR DSR
	DATE 1-20-11

Drug Information

DRUG NAME: CLONAZEPAM

INGREDIENTS: CLONAZEPAM -- 2 MG

Color: White to Off-White

Shape: Circle

Imprint: 93 - 834 This tablet is debossed with 93 - 834 on the unscored

side.

Form: Oral Tablet

Available-Container-Size: Inner Pack, Strip of 100, Bottle of 500, Bottle

of 100

AAPCC Code: 007000 -

Benzodiazepines

NDC: 00093-0834-19 00093-0834-93

Exciplents: Magnesium Stearate; Cellulose,

Microcrystalline; Povidone; Water, Purified; Starch, Corn; Lactose

(Monohydrate)

Regulatory Status: Schedule IV

Availability: United States

Product ID 5575547

Contact: Teva Pharmaceuticals

Copyright © 1974-2011 Thomson Reuters. All rights reserved.

VP.PID 10-6-11

Information from Data File:

File Name : C:\msdchem\1\data\SYSTEM6\01 19 11\766632.D

Operator : DJI

Date Acquired : 19 Jan 2011 20:28


Sample Name : BLANK

Submitted by

Vial Number : 1

AcquisitionMeth: CLONAZ.M

Integrator : RTE



NO INTEGRATED PEAKS

File Name

: C:\msdchem\1\data\SYSTEM6\01 19 11\766633.D

Operator

: DJR

Date Acquired : 19 Jan 2011 20:41

Sample Name

: CLONAZEPAM STD

Submitted by


Vial Number

33

AcquisitionMeth: CLONAZ.M

Integrator

: RTE



Ret. Time	Area	Area %	Ratio %
5.862	2051788	100.00	

The state of the s

File Name : C:\msdchem\1\data\SYSTEM6\01 19 11\766633.D

Operator DJR

Date Acquired 19 Jan 2011 20:41 Sample Name CLONAZEPAM STD

Submitted by

Vial Number 33 CLONAZ.M AcquisitionMeth:

Integrator RTE


Search Libraries: C:\Database\SLI.L Minimum Quality: 80


C:\Database\NIST08.L

Minimum Quality: 80

C:\Database\PMW TOX2.L

 PK#	RT	Library/ID	CAS#	Qual
1.	5.86	C:\Database\NIST08.L		
		Clonazepam	001622-61-3	99
		Clonazepam	001622-61-3	99
		Clonazepam	001622-61-3	99






File Name : C:\msdchem\1\data\SYSTEM6\01_19_11\766635.D

Operator : DJR

: 19 Jan 2011 21:07 Date Acquired

Sample Name : BLANK Submitted by : ASD Vial Number 1 AcquisitionMeth: CLONAZ.M

: RTE Integrator



NO INTEGRATED PEAKS

: C:\msdchem\1\data\SYSTEM6\01_19_11\766636.D File Name


Operator : DJR

Date Acquired : 19 Jan 2011 21:20

Sample Name Submitted by

Vial Number 36 AcquisitionMeth: CLONAZ.M

: RTE Integrator



Ret. Time	Area	Area %	Ratio %	
5.879	4936958	100.00	100.00	

File Name : C:\msdchem\1\data\SYSTEM6\01_19_11\766636.D

Operator : DJR

Date Acquired 19 Jan 2011 21:20

Sample Name Submitted by

: ASD Vial Number 36 AcquisitionMeth: CLONAZ.M


Integrator : RTE


Search Libraries: C:\Database\SLI.L Minimum Quality: 80

C:\Database\NIST08.L Minimum Quality: 80

C:\Database\PMW_TOX2.L

PK#	RT	Library/ID	CAS#	Qual
1	5.88	C:\Database\NIST08.L Clonazepam Clonazepam Clonazepam	001622-61-3 001622-61-3 001622-61-3	99 99 99





The second secon

File Name : C:\msdchem\1\data\SYSTEM6\01_19_11\766644.D

Operator : DJR


Date Acquired : 19 Jan 2011 23:06

Sample Name : BLANK

Submitted by :

Vial Number : 2 AcquisitionMeth: CLONAZ.M

Integrator : RTE



Ret. Time

Area

Area %

% Ratio %

NO INTEGRATED PEAKS

File Name : C:\msdchem\1\data\SYSTEM6\01 19 11\766645.D


Operator : DJR

Date Acquired : 19 Jan 2011 23:19 Sample Name : CLONAZEPAM STD

Submitted by

Vial Number : 33 AcquisitionMeth: CLONAZ.M

Integrator : RTE



Ret. Time	Area	Area %	Ratio %
5.862	2577097	100.00	100.00

File Name : C:\msdchem\1\data\SYSTEM6\01 19 11\766645.D

Operator : DJR

Date Acquired : 19 Jan 2011 23:19 Sample Name : CLONAZEPAM STD

Submitted by

Vial Number : 33 AcquisitionMeth: CLONAZ.M


Integrator : RTE


Search Libraries: C:\Database\SLI.L

C:\Database\SLI.L Minimum Quality: 80 C:\Database\NIST08.L Minimum Quality: 80

C:\Database\PMW_TOX2.L

PK# RTLibrary/ID CAS# Qual 1 5.86 C:\Database\NIST08.L Clonazepam 001622-61-3 99 Clonazepam 001622-61-3 99 Clonazepam 001622-61-3 99





同様の表示を含めている。 これのでは、 これのできる。 これのできる。